




INA BRAINGS SALES JAPAN CO.,LTD.



130 mm x 230 mm x 40 mm NSK NJ226EM
cylindrical roller bearings

Bearing No. NJ226EM

NJ226EM Bearing 2D drawings and 3D CAD models

Size	130x230x40 mm
Bore Diameter	130 mm
Outer Diameter	230 mm
Width	40 mm
d	130 mm
Fw	153,5 mm
D	230 mm
B	40 mm
C	40 mm
r min.	3 mm
r1 min.	3 mm
da min.	143 mm
Da max.	217 mm
db max.	150 mm
db min	143 mm
ra max.	2,5 mm
rb max.	2,5 mm
S	1,5 mm
Db max	217 mm
Weight	8,03 Kg
Basic dynamic load rating (C)	365 kN
Basic static load rating (C0)	455 kN
(Grease) Lubrication Speed	2600 r/min
Category	Cylindrical Roller Bearings
Inventory	0.0



INA BRAINGS SALES JAPAN CO.,LTD.

Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	0029176001789
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	Standard Capacity 1 Rib Inner Ring 2 Rib Outer Ring Light Series Cage on Outer Ring ID
Long Description	130MM Bore; Straight Bore Profile; 230MM Outside Diameter; 40MM Width; Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Inter
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.nskamericas.co



INA BRAINGS SALES JAPAN CO.,LTD.

	m
Manufacturer Item Number	NJ226M
Weight / LBS	6.4
Outside Diameter	9.055 Inch 230 Millimeter
Width	1.575 Inch 40 Millimeter
Bore	5.118 Inch 130 Millimeter
hidYobi	NJ226EM
LangID	1
D_	230
Macha rpm	5000
B_	40
hidTable	ecat_NSCLDR
Oil rpm	3200
rb	2.5
mass	7.31
GRS rpm	2600
ra	2.5
db max	150
TSR rpm	3400
C0	455
DE_	209.5
Prod_Type3	CRB_SR_NJ
da	143
DA_	28
Z_	17
D_a max	217
yobi	NJ226EM
dd min	168
C_conv	365000
ALPHA_	0
SDM_	181.5
r	3



INA BRAINGS SALES JAPAN CO.,LTD.

dc min	158
KBRG	4155
SBRG	2
r1	3
DI_	153.5