



# INA BRAINGS SALES JAPAN CO.,LTD.



7226BG Bearing 2D drawings and 3D CAD models

130,000 mm x 230,000 mm x 40,000 mm NTN  
7226BG angular contact ball bearings

Bearing No. 7226BG

Size	130x230x40 mm
Bore Diameter	130,000 mm
Outer Diameter	230,000 mm
Width	40,000 mm
d	130,000 mm
D	230,000 mm
B	40,000 mm
C	40,000 mm
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	6.97
EAN	4547359447415
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree



## INA BRAINGS SALES JAPAN CO.,LTD.

Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	130MM Bore; 230MM Outside Diameter; 40MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	7226BG
Weight / LBS	15.36
Bore	5.118 Inch   130 Millimeter
Width	1.575 Inch   40 Millimeter
Outside Diameter	9.055 Inch   230 Millimeter
bore diameter:	130 mm
radial static load capacity:	180000 N
outside diameter:	230 mm
operating temperature range:	-40 to 120 ° C
overall width:	40 mm
cage material:	Brass
contact angle:	40 °
outer ring width:	40 mm
row type & fill slot:	Single-Row Non-Fill Slot
maximum rpm:	3400 rpm



## INA BRAINGS SALES JAPAN CO.,LTD.

internal clearance:	C0
finish/coating:	Uncoated
bore type:	Round
precision rating:	ISO Class 0
closure type:	Open
fillet radius:	3 mm
snap ring included:	Without Snap Ring
series:	72B
bearing material:	High Carbon Chrome Steel
weight:	6.950 kg
radial dynamic load capacity:	177000 N
manufacturer product page:	<a href="#">Click here</a>