



INA BRAINGS SALES JAPAN CO.,LTD.



6226Z Bearing 2D drawings and 3D CAD models

130,000 mm x 230,000 mm x 40,000 mm NTN
6226Z deep groove ball bearings

Bearing No. 6226Z

Size	130x230x40 mm
Bore Diameter	130,000 mm
Outer Diameter	230,000 mm
Width	40,000 mm
d	130,000 mm
D	230,000 mm
B	40,000 mm
C	40,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	5.885
EAN	4547359374520
Product Group	B00308
Enclosure	1 Metal Shield
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	130MM Bore; 230MM



INA BRAINGS SALES JAPAN CO.,LTD.

	Outside Diameter; 40MM Outer Race Width; 1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Ste
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6226Z
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	1.575 Inch 40 Millimeter
Bore	5.118 Inch 130 Millimeter
Outside Diameter	9.055 Inch 230 Millimeter
bore diameter:	130 mm
precision rating:	ISO Class 0
outside diameter:	230 mm
finish/coating:	Uncoated
overall width:	40 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Single Shield
inner ring width:	40 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	40 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	2700 rpm



INA BRAINGS SALES JAPAN CO.,LTD.

internal clearance:	CN
maximum rpm (oil):	3100 rpm
operating temperature range:	-40 to 120 ° C
fillet radius:	3 mm
dynamic load capacity:	167000 N
manufacturer product page:	Click here
static load capacity:	146000 N